"Express Mail" Label No. *E* J 937/593 49

Washington, D.C. 20231.

Date of Deposit: November 10, 1999

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated

below and is addressed to: Assistant Commissioner for Patents,

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION

APPLICANT(S):

Chengjun Julian Chen

Dimitri Kanevsky

TITLE:

Methods and Apparatus for Semantic Unit Based Automatic Indexing and

Searching in Data Archive Systems

ASSISTANT COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231

SIR:

Enclosed are the following papers relating to the above-named application for patent:

Application - 16 pages of Specification, 4 pages of Claims and 1 page of Abstract 5 Sheets of informal drawing(s)

Declaration and Power of Attorney

Associate Power of Attorney

Check in the amount of \$760.00 to cover the filing fee

CLAIMS AS FILED					
	NO. FILED	NO. EXTRA	RATE	CALCULATIONS	
Total Claims	20-20 =	0	x \$18 =	\$0	
Independent Claims	3-3 =	0	x \$78 =	\$0	
Multiple Dependent Claim(s), if applicable			\$260 =	\$0	
Basic Fee				\$760	
-			TOTAL FEE:	\$760	

Please file the application and please find enclosed a check in the amount of \$760 to cover the filing fee. In the event of non-payment or improper payment of a required fee, the Commissioner is authorized to charge or to credit **Ryan & Mason**, **L.L.P. Deposit Account No. 50-0762** as required to correct the error. Duplicate copies of this letter are enclosed.

Please address all correspondence to: William E. Lewis, Ryan & Mason, L.L.P., 90 Forest Avenue, Locust Valley, New York 11560. Telephone calls should be made to the under-signed attorney at (516) 759-2946.

Respectfully,

William E. Lewis Reg. No. 39,274

Attorney for Applicant(s)

Date: November 10, 1999 Ryan & Mason, L.L.P.

90 Forest Avenue

Locust Valley, New York 11560

10

15

METHODS AND APPARATUS FOR SEMANTIC UNIT BASED AUTOMATIC INDEXING AND SEARCHING IN DATA ARCHIVE SYSTEMS

Field of the Invention

The present invention generally relates to data archive systems and, more particularly, to improved indexing and searching methods and apparatus for use in such systems.

Background of the Invention

Several patents and patent application deal with audio-indexing and searching of audio data, e.g., U.S. Patent No. 5,649,060 issued to Ellozy et al. on July 15, 1997; U.S. Patent No. 5,794,249 issued to Orsolini et al. on August 11, 1998; and U.S. patent application identified by serial no. 09/108,544 (attorney docket no. Y0998-120), entitled: "Audio-Video Archive and Method for Automatic Indexing and Searching," filed on July 1,1998, the disclosures of which are incorporated by reference herein. All of the approaches taken in these patents and the patent application use a word as a basic unit for indexing and search. Typically in these methods, audio data is transcribed (via automatic speech recognition or manually), time stamped and indexed via words.

In a word-based system, before the searching can be started, a vocabulary and a language model based on known words must be prepared. Thus, by definition, there are always words that are unknown to the system. Unfortunately, the searching mechanism can only work with words resulting in a good language model score, i.e., known words.

In an attempt to create a system capable of searching using an entry which is unknown to the system, phone-based indexing methods have been proposed. This method includes generating an acoustic transcription for words and indexing speech segments via acoustic phones. However, these phone-based indexing methods are not very efficient since there can be different phonetic descriptions for the same word and the phonetic recognition accuracy can be low, e.g., lower than a word recognition accuracy.

20

These difficulties are even more apparent in a system operating in a language for which the unit "word" in speech and text may be ambiguous, e.g., the Chinese language, or in a language that has a very large number of word forms, e.g., Slavic languages.

For most European languages, word boundaries exist in printed text, as well as in computer text files. These boundaries are represented as blank spaces between words. However, for most of the Asian languages, including, e.g., Chinese, Japanese, Korean, Thai, and Vietnamese, such word boundaries neither exist in printed form, nor in computer text files. Thus, word-based indexing and searching methods can not be applied to these languages. Phone-based indexing and searching methods for these languages have similar problems as those mentioned above.

Thus, a need exists for methods and apparatus for indexing and searching audio data, and the like, which minimizes and/or eliminates these and other deficiencies and limitations, and which may be used with a greater number of languages.

Summary of the Invention

15

5

10

The present invention provides for improved indexing and searching of audio data, and the like, using minimal semantic unit based methodologies and/or apparatus. It is to be appreciated that "a minimal semantic units" are defined as small, preferably the smallest, units of a language that are known to have semantic meaning. Examples of semantic units that may be used are syllables or morphemes. Such an inventive approach may be used in conjunction with languages which have difficulty being adapted for use with existing approaches, e.g., Asian languages.

20

It is to be appreciated that a "morpheme" is a minimal semantic unit in a language that is recurrent and meaningful. It may be a part of a word, or a word, such as the three units in

25

the word "friendliness," that is "friend-," "li-," and "ness." In Western languages, there is a distinction between a free morpheme and a bound morpheme. A free morpheme can be a standalone word, such as "friend." A bound morpheme cannot be used by itself, such as "li"

10

15

20

and "ness." A morpheme can be a single syllable, a group of syllables, or a consonant attached to a syllable, such as the "s" in "man's shirt." In most East Asian languages, since there is no word boundaries in printed text or in computer files, the distinction between free morpheme and bound morpheme is not explicit. In those languages, a morpheme is a more adequate unit of language than a word.

Further, it is to be appreciated that a "syllable" is a group of phonemes comprising a vowel or continuant, alone or combined with a consonant or consonants, representing a complete articulation or a complex of articulations, and comprising the unit of word formation. It is identifiable with a chest pulse, and with a crest of sonority. A syllable can be open if it ends with a vowel, or closed if it ends with a consonant. In the above example, "friend," "li," and "ness," are three syllables, with "li" open, and "friend" and "ness" closed.

The semantic unit known as a morpheme exists in many Asian languages. For example, in many East Asian languages, such as Chinese, Thai, Vietnamese, with a few exceptions, almost all morphemes are monosyllabic. Thus, in those languages, the concept of morpheme and syllable are interchangeable.

Also, in Chinese, each syllable is represented by a character, a so-called Hanzi. The number of syllables and the number of Hanzi are finite. In modern standard spoken Chinese, Mandarin, the total number of different syllables is 1,400. In modern standard written Chinese, the number of commonly used characters is 6,700 in mainland Chinese, and 13,000 in Taiwan.

Accordingly, in a broad aspect of the present invention, methods and apparatus are provided for indexing and searching of audio data, and the like, which are based on minimal semantic units such as, for example, syllables and/or morphemes. In this manner, such inventive methods and apparatus for indexing and searching audio data, and the like, minimize and/or eliminate deficiencies and limitations associated with existing indexing and searching systems (e.g., word-based systems). Further, such inventive methods and apparatus for indexing and searching audio data, and the like, may be used with a greater number of languages.

10

15

20

25

Thus, in one exemplary embodiment of the invention for Chinese language, a searching engine may be provided which is based on characters, or Hanzi. A statistical language model built upon a large text corpus is used to execute speech recognition. The sought-after information (data to be searched) is formatted in terms of one character, or a sequence of characters. The searching mechanism compares the text with the target.

In another exemplary embodiment of the invention for Chinese language, a searching engine may be provided which is based on phonetic syllables. A statistical language model based on phonetic syllables is built from a large text corpus, by converting the characters into phonetic syllables. The size of the language model is much smaller. The sought-after information is formatted in terms of one phonetic syllable, or a sequence of phonetic syllables.

Observing the fact that syllables in Chinese bear semantic information, we generalize syllable based audio-indexing as follows. The present invention employs a semantic unit that is typically smaller than a word and has a unique acoustic representation. Semantic units allow to build language models that represent semantic information and improve the decoding accuracy of automatic speech recognition (ASR) that is based on a vocabulary comprised of semantic units. As mentioned, examples of such units are a syllable (e.g., in Chinese language) or a morpheme (e.g., in Slavic languages) for transcription of audio data, indexing and search. This methodology is generally applicable to most languages since the unit syllable is clear, and the number of possible syllables in a language is finite. For those languages, to use the unit syllable as the basic building block of searching is more efficient. This approach also resolves the above-mentioned problem of unknown words, since a system employing the methodology knows all syllables that may be used in its applicable language.

For example, such languages that may be supported by this inventive approach may include, but are not limited to:

a) Chinese. In the standard dialect (Mandarin, or Putonghua, based on Beijing dialect), the total number of allowed acoustic syllables is less than 1,800. The rate of syllables of average speech is 4-5 syllables per second.

YO999-426 4

10

15

20

25

- b) Korean. There are less then 2,400 acoustically allowed syllables. The writing system is totally based on acoustic syllables. The rate of syllables of average speech is 4-5 syllables per second.
- c) Japanese. There are only 105 acoustically allowed syllables. The rate of syllables of average speech is 6-7 syllables per second.
- d) Vietnamese. There are 3,000 different syllables. The writing system is totally based on acoustic syllables. The rate of syllables of average speech is 4-5 syllables per second.

Similarly, languages that have a very large number of word forms (like several million word forms in Slavic languages) have a relatively small number of morphemes (e.g., 50,000 morphemes in Russian language). For those languages, an automatic speech recognition system returns a string of acoustic syllables or morphemes. This can be done with a language model based on acoustic syllables or morphemes. The word to be searched is first rendered into a string of syllables. Those syllable strings are then matched against the decoded acoustic syllable database.

It is to be appreciated that the methodologies of the present invention are more straightforward and faster than the word or word-tag based method. Data compression is also more efficient due to the finite number of syllables and morphemes.

These and other objects, features and advantages of the present invention will become apparent from the following detailed description of illustrative embodiments thereof, which is to be read in connection with the accompanying drawings.

Brief Description of the Drawings

- FIG. 1 is a block diagram of an apparatus for indexing and searching an audio recording via syllables according to an embodiment of the present invention;
- FIG. 2 provides examples of searching queries and media according to an embodiment of the present invention;

FIG. 3 is a block diagram of production of a syllable language model according to an embodiment of the present invention;

FIG. 4A is a flow chart of a syllable based audio indexing method according to an embodiment of the present invention;

FIG. 4B is a flow chart of a syllable based audio searching method according to an embodiment of the present invention; and

FIG. 5 is a block diagram of a hardware implementation of an audio indexing and searching system according to an embodiment of the present invention.

Detailed Description of Preferred Embodiments

10

5

The present invention will be explained below in the context of an illustrative syllable based indexing and searching implementation. However, it is to be understood that the present invention is not limited to such a particular implementation. Rather, the invention is more generally applicable to indexing and searching of audio data using semantic units, syllables being just one example of a semantic unit. For example, the invention advantageously finds application in any implementation where it is desirable to provide audio based data indexing and searching capabilities to a user such that the user does not need to be concerned with entering unknown words in his query to the system. The invention is particularly suitable for use with such languages as mentioned above, e.g., Asian and Slavic languages. However, the invention is not limited to use with any particular language.

20

15

Referring now to FIG. 1, apparatus for indexing and searching an audio recording via syllables according to an embodiment of the present invention is shown. The apparatus 100 operates in the following manner. Audio data is recorded by an acoustic recorder unit 102. The audio data is stored in data storage 104. The audio data is also processed by a syllable speech recognizer 106. An example of a speech recognizer that may be employed by the invention is described in C.J. Chen et al., "A Continuous Speaker-Independent Putonghua Dictation System," 3rd International Conference on Signal Processing

Proceedings, pp. 821-824, 1996, the disclosure of which is incorporated herein by reference. A standard speech recognition system, such as that described in the above-referenced Chen et al. article, can be adapted to use a syllable based language model 108, the generation of which will be explained below, to provide the functions of the syllable speech recognizer 106. Given a syllable based language model according to the invention and given the fact that such a model is generally simpler than a word based language model in a standard speech recognition system, one of ordinary skill in the art will appreciate how to adapt a standard speech recognition system to operate as a syllable speech recognizer 106 using a syllable based language model 108.

10

5

It is to be appreciated that, in one embodiment of the invention, syllables may be phonetically based. Phonetic syllables reflect different pronunciations of syllables. In Chinese, phonetic syllables vary in different parts of the country (despite the fact that a textual representation does not depend on a geographical location). In another embodiment of the invention, phonetic syllables comprise "tonemes" that reflect phonetic and intonation information, see the above-referenced Chen et al. article. A toneme is an intonation phoneme in a tone language.

15

The syllable speech recognizer 106 using the syllable based language model 108, in a similar manner as a standard speech recognition system uses a word based language model, produces a decoded text (i.e., transcription) that is comprised of syllables 110. This syllable textual is time stamped, as will be explained, in unit 112 and stored with syllable indexes in a syllable index storage unit 114. The syllable index storage unit 114 contains indexes, e.g., time stamps, associated with the decoded syllable data. These time stamps, as is explained in the example below, are used to retrieve the corresponding audio data in the audio data storage 104 in response to a search query.

25

20

For example, in one preferred embodiment, an index stored in unit 114 contains the address where the data for a syllable can be found in data storage 104. It is to be appreciated that some syllables may occur several times during the recording of the audio data by the acoustic recorder 102. The data from the recorder is stored in unit 104. An index in unit 114

10

15

20

25

points to where a particular syllable is stored in the unit 104. One simple way to indicate where the syllable is stored is to indicate times when this syllable was spoken. Thus, the index can be related to a set of times when the syllable was spoken. This is accomplished via the time stamping of the syllables by unit 112. The conversion of time in the storage address allows to retrieve all locations where the data related to the syllable in 104 is stored.

By way of a simple example, assume that a sentence decoded by the syllable speech recognizer 106 contains a sequence of syllables that are aligned to an audio (stored in unit 104) sentence whereby the sequence of syllables is represented as: S1, S2, S3, S4, S1, S4, S1, S2, S7, S8, S7. These syllables have been time stamped for times: t1-t2, t3-t4, t5-t6, ..., tm-tn. Assume the audio sentence is represented as audio segments: aud1, aud2, aud3, aud4, aud5, aud6, aud7, aud8, aud9, aud10, aud11. Thus, the index data stored in unit 114 may be as follows: S1: aud1, aud5, aud6; S2: aud2, aud8; S3: aud3; S4: aud4, aud6; S7: aud9, aud11; S8: aud10. This means that a syllable S1 is stored in 1st, 5th and 6th places (segments) in the audio sentence that is stored in the data storage 104. Therefore, to play segments that correspond to S1, one can go to corresponding locations in data storage 104 that are indicated in the index.

It is to be appreciated that while time stamping is a convenient way to index the decoded data, any other applicable indexing technique may be employed. The above process generally comprises the data indexing process according to this particular embodiment of the invention.

The syllable index storage unit114 is connected to a syllable based search device 116. Any conventional search methodology may be employed by the search device. The syllable search device 116 receives as input queries 118 from a user 124 via input device 122. The input device may, for example, be one of the following: a keyboard; an automatic speech recognition (ASR) system; and automatic handwriting recognition (AHR) system, etc. The syllable query may be processed by query processing module 120, as will be explained, prior to being submitted to the search device. The syllable query 118 is used by the search device 116 to identify audio segments in the data storage 104. This may be

8

accomplished by the audio segments being aligned to textual data. For example, audio data is parameterized by time, and syllables in the sentence are mapped in time intervals in audio data. An example of this was given above with regard to the indexing operation. The technique of aligning of audio data to textual data is performed by the recognizer 106. When the recognizer decodes speech, it associates textual parts (e.g., syllables) to corresponding pieces of audio data.

Thus, a syllable in the users query may be associated with or matched to one or more audio segments stored in audio storage 104 by identifying the index in index storage 114 that corresponds to the syllable in the query. That is, if the user query contains syllable S1, then audio segments aud1, aud5, aud6 are identified based on the indexing operation explained above. Once the audio data segments are identified, they are played back to the user via a playback/output device 126. The device 126 may therefore include a play back speaker. The user query 118 can contain additional information that helps to localize the search.

The above scheme is a simplified example of audio indexing/searching via

15

10

5

syllables. That is, depending on the application, additional features can be implemented. Namely, the audio data may be further indexed based on attributes associated with the person who generated the audio data, i.e., the speaker. This may be accomplished in indexer and storage unit 128. That is, attributes associated with the speaker, e.g., name, sex, age, may be extracted from the audio data and used to index and store the audio data provided. These attributes may be expressly spoken by the person (e.g., "My name is....") and decoded by a speech recognizer or determined via conventional speaker recognition techniques. Alternatively, the audio data can be labeled with speaker names in order to enhance the audio search portion of the system. Labeling audio data with speaker names is discussed in the U.S. patent application identified by serial no. 09/294,214 (attorney docket no. YO998-398), entitled "System and Method for Indexing and Querying Audio Archives," filed on April 16, 1999, the disclosure of which is incorporated herein by

25

20

reference.

10

15

20

Accordingly, for example, the user can restrict a search of a given syllable query to some speakers in a conference. As mentioned, the stored audio data can be also associated with speaker biometrics that provide additional information about speakers (for example, social user status, age, sex, etc.) as is described in the U.S. patent application identified by serial no. 09/371,400 (attorney docket no. YO999-227), entitled "Conversational Data Mining," filed on August 10, 1999, the disclosure of which is incorporated herein by reference.

Stored audio data can also be marked with labels providing some other information. This information can include information when the audio data was produced, places where it was produced, etc. The audio data can also be associated with video data that was recorded simultaneously with the audio data and stored in data storage unit 104. This permits a user to add video related queries to the audio related queries he enters at the input device 122. In this case, the search device may further implement video image recognition searching techniques.

It is to be appreciated that one or more of these additional indexing features (e.g., speaker biometrics, video data, etc.) may be implemented in accordance with the apparatus 100 of FIG. 1 in the indexer and storage unit 128. In the case of indexing and storing both audio and video data, the hierarchical index storage and searching techniques as described in the above-incorporated U.S. patent application identified by serial no. 09/108,544 (attorney docket no. Y0998-120), entitled "Audio/video Archive and Method for Automatic Indexing and Searching," filed on July 1, 1998. In the hierarchical search, syllable becomes one of the layers in the hierarchical pyramid. As will be explained

apparatus 100 may implement.

Results of user query search can be represented to the user in various other ways

below, FIG. 2 depicts certain of these additional indexing and searching features which

than explained above. For example, in accordance with a playback output device 126 that includes a display, the user can first view a printed decoded (syllable) output and, after

25

viewing the whole decoding output, the user 124 can decide what part of audio data he would like to play back simply by clicking (using a mouse included as part of the input device122) on this part of textual output. In another embodiment, the user also can view video data that is associated with audio data that was found by the searching device 114 in accordance with query requests.

In yet another embodiment of the invention, the audio data is played back starting from the syllable that was indicated by the user query until the user stops the audio play back (via the input device) or until a particular time duration of the audio segment, as specified in the user query, has expired.

10

5

Still further, the user query can also consist of words rather then a set of phonetic syllables. In this case, words are transformed into a sequence of syllables using a text-to-phonetic syllable map. Such a map may be generated in any conventional manner. This text-to-syllable map can employ a table that associates, with each syllable, a set of possible phonetic syllables. This map/table may be implemented by the query processing module 120. In the search mode, the number of phonetic syllables associated with an input textual syllable can be restricted if additional data is provided (for example, geographical location where audio data was produced).

15

The user query also can contain relatively long textual corpora rather than several words or syllables. The user can have a text of spoken speech (for example, if he himself read some text to record audio data). In this case, a textual corpora is mapped in a string of (phonetic) syllables and a specific search mechanism implemented in the search device 114 can be used to find audio data that match a long string of syllables. This mechanism is described in the above-incorporated U.S. Patent No. 5,649,060. It allows to match audio data with a reference textual corpora even when relatively low quality ASR is used. It exploits time stamping of a textual corpus and matches a small number of portions in the reference script with portions in the stored decoded output.

25

20

10

15

The methods that are used for phonetic syllable indexing can be used with other techniques of splitting of words into smaller units, for example, morphemes in Slavic languages.

Referring now to FIG. 2, examples of searching queries and media according to an embodiment of the present invention are depicted. Media for search 202 can contain both audio data 204 and video data 206. The media is split into units 208 used for indexing. It is to be appreciated that this splitting may be done in the query processing module 120. Examples of audio units are depicted in block 210. Such units may include: text portions (e.g., phrases, paragraphs, chapters, poems, stories), words, syllables, phonetic syllables, morphemes, characters, and other semantic units (e.g., roots in Slavic languages). Video data can be split into video portions 212. This can also be done in the query processing module 120, see the above-referenced U.S. patent application identified by serial no. 09/108,544 (attorney docket no. Y0998-120), entitled "Audio/video Archive and Method for Automatic Indexing and Searching."

The searching device 116 (same as in FIG. 1), in response to receipt of query units 208 can employ one or more of the features depicted in block 214 to assist or produce a search: (i) hierarchical indexing (e.g., phonetic syllables point to syllables, syllables point to words and words can point to phrases); (ii) labeling used to restrict a search (e.g., location, speaker names, time period etc.); (iii) time stamping helps to index audio data and align it to textual data; and (iv) a language unit model is trained from a string of units (e.g., syllables) and increases the accuracy of mapping audio data into string of units (e.g., syllables).

The search system 116 may also use an automatic boundary marking system that is applied to a query 118. This is used to split the user input into words. Recall that in some languages characters are not separated into words with spaces. This allows searching via words (not only via syllables). Found portions of audio (e.g., that correspond to syllables or words) are played in via unit 126 to the user so that he can decide which portion of audio is needed.

25

10

15

20

25

As mentioned, the syllables can point to other hierarchical levels of data (e.g., as described in block 214 of FIG. 2). For example, audio can be accompanied with video and therefore this video data can be shown to the user (e.g., via unit 126) together with audio.

Audio data can be represented with cepstra (i.e., an efficient compressed form of representation of audio). The cepstra can be converted to audio data that can be played to a user. The quality of the audio data obtained from cepstra can be relatively low but may be suitable in some applications, e.g., just to represent a content of the stored phrase. Since cepstra requires less storage capacity than full audio, the search and play back can be performed faster. This cepstra can point to full quality audio that can be used if the user needs a high quality output. Such an interface is further described in the above-incorporated U.S. patent application identified by serial no. 09/108,544 (attorney docket no. Y0998-120), entitled "Audio/video Archive and Method for Automatic Indexing and Searching."

In another embodiment, a textual output can also be represented as stenographer transcriptions (i.e., rather than a decoder output). Stenography is similar to a decoder, but textual data is produced by a stenographer and can be more accurate than a decoder output. This stenographer output can be presented to the user 124 via unit 126, if this stenographer output is available. Therefore, a user can point to different places in the stenographer output and they will be played back as audio that is aligned to the stenographer data.

Referring to FIG. 3, a block diagram of a method of producing a syllable language model according to an embodiment of the present invention is shown. This is the syllable language model 108 that may be used by speech recognizer 106 of FIG. 1. Textual corpora 300 is used to produce strings of syllables 302 (e.g., via tables that map strings of characters into syllables). Strings of syllables give rise to syllable counts 304. In order to produce a language model of phonetic syllables 306, it is necessary to know how syllables are pronounced. Since the same syllables can have different pronunciations, this data cannot be extracted directly from a textual corpus. As a result, the audio data 308 corresponding to the text 300 is transcribed (block 310). Transcription 310 may be generated manually or using automatic speech recognition that aligns phonetic syllables

YO999-426 13

10

15

20

to a string of spoken syllables. Phonetic syllables 312 and syllables 314 generated as part of the transcription 310 are then used to derive respective probabilities of distribution of a phonetic syllable given a syllable (block 316). Syllable counts 304 and conditional distributions of phonetic syllables 314 are used to construct the language model of phonetic syllables 306. Given the syllable counts 304 and the conditional distributions of phonetic syllables 314, one of ordinary skill in the art will appreciate how to construct the language model of phonetic syllables 306. For example, the procedure is similar to constructing a language model for classes (e.g., Frederick Jelinek, "Statistical Methods for Speech Recognition," The MIT Press, Cambridge, 1998, the disclosure of which is incorporated herein by reference) or a language model for morphemes (e.g., U.S. Patent No. 5,835,888 issued November 10, 1998, entitled "Statistical Language Model for Inflected Languages," the disclosure of which is incorporated herein by reference).

Referring now to FIG. 4A, a flow chart of a syllable based audio indexing method according to an embodiment of the present invention. In step 400, audio data to be indexed and stored is recorded. In step 402, the audio data is decoded into a transcription comprising strings of syllables (or morphemes). In step 404, the syllables are indexed by time stamping the syllables (or morphemes). Lastly, in step 406, the syllables (or morphemes) are stored in accordance with the time stamp indexes.

Referring now to FIG. 4B, a flow chart of a syllable based audio searching method according to an embodiment of the present invention. It is to be appreciated that the search method of FIG. 4B is preferably employed in connection with data indexed according to the indexing method of FIG. 4A. In step 408, a user enters a query in order to retrieve some portion of the stored acoustic data. The query is processed in step 410. As explained above, this may include transforming words entered by a user into a sequence of syllables using a text-to-phonetic syllable map. The user may also directly enter syllables rather than words. In step 412, the syllables are used to retrieve the desired audio data segments from storage. Lastly, in step 414, the audio segments are played back to the user.

10

15

20

25

Referring now to FIG. 5, a block diagram is shown of an exemplary hardware architecture for implementing one, more or all of the elements of the apparatus 100 shown in FIG.1. In this embodiment, the apparatus 100 may be implemented by a processor 500, memory 502, and I/O devices 504. It is to be appreciated that the term "processor" as used herein is intended to include any processing device, such as, for example, one that includes a CPU (central processing unit). For example, the processor may be a digital signal processor, as is known in the art. Also the term "processor" may refer to one or more individual processors. The term "memory" as used herein is intended to include memory associated with a processor or CPU, such as, for example, RAM, ROM, a fixed memory device (e.g., hard drive), a removable memory device (e.g., diskette), flash memory, etc. In addition, the term "input/output devices" or "I/O devices" as used herein is intended to generally include, for example, one or more input devices, e.g., microphone, keyboard, mouse, etc., for inputting data and other signals to the processing unit, and/or one or more output devices, e.g., display, speaker, etc., for providing results associated with the processing unit. For example, the display or speaker may provide a user with play back information retrieved by the system. Accordingly, computer software including instructions or code for performing the methodologies of the invention, as described herein, may be stored in one or more of the associated memory devices (e.g., ROM, fixed or removable memory) and, when ready to be utilized, loaded in part or in whole (e.g., into RAM) and executed by a CPU. In any case, it should be understood that the elements illustrated in the figures may be implemented in various forms of hardware, software, or combinations thereof, e.g., one or more digital signal processors with associated memory, application specific integrated circuit(s), functional circuitry, one or more appropriately programmed general purpose digital computers with associated memory, etc. Given the teachings of the invention provided herein, one of ordinary skill in the related art will be able to contemplate other implementations of the elements of the invention.

Although illustrative embodiments of the present invention have been described herein with reference to the accompanying drawings, it is to be understood that the invention

is not limited to those precise embodiments, and that various other changes and modifications may be affected therein by one skilled in the art without departing from the scope or spirit of the invention.

Claims	ì

2

3

4

5

6

7

8

1

1

1

1

2

1

2

1

2

1

****				-	
What	10	C	laım	ed	10.
7 1 1144	10	~	шин	\sim	10.

1. A method of processing audio-based data associated with a particular language, the method comprising the steps of:

storing the audio-based data;

generating a textual representation of the audio-based data, the textual representation being in the form of one or more semantic units corresponding to the audio-based data; and

indexing the one or more semantic units and storing the one or more indexed semantic units for use in searching the stored audio-based data in response to a user query.

- 2. The method of claim 1, wherein the semantic unit is a syllable.
- 3. The method of claim 2, wherein the syllable is a phonetically based syllable.
- 4. The method of claim 1, wherein the semantic unit is a morpheme.
- 5. The method of claim 1, wherein the generating step comprises decoding the audiobased data in accordance with a speech recognition system.
- 6. The method of claim 5, wherein the speech recognition system employs a semantic unit based language model.
 - 7. The method of claim 1, wherein the indexing step comprises time stamping the one or more semantic units.
 - 8. The method of claim 1, wherein the searching step comprises:

2	processing the user query to generate one or more semantic units representing the
3	information that the user seeks to retrieve;
4	searching the one or more indexed semantic units to find a substantial match with
5	the one or more semantic units associated with the user query; and
6	retrieving one or more segments of the audio-based data using the one or more
7	indexed semantic units that match the one or more semantic units associated with the user
8	query.
1	9. The method of claim 8, wherein the searching step further comprises presenting
2	the retrieved data to the user.
1	10. The method of claim 1, wherein the particular language is an Asian based
2	language.
1	11. The method of claim 10, wherein the particular language is Chinese.
1	12. The method of claim 11, wherein the semantic unit is a Chinese character.
1	13. The method of claim 1, wherein the particular language is a Slavic based
2	language.
1	14. The method of claim 1, wherein the one or more semantic units are indexed
2	according to speaker attributes.
1	15. The method of claim 1, wherein the one or more semantic units are indexed
2	according to at least one of when the audio based data was produced and where the audio
3	based data was produced.

1	16. The method of claim 1, further comprising the step of storing video based data
2	associated with the audio based data for use in searching the stored audio based data and
3	the video based data in response to a user query.
1	17. The method of claim 16, wherein the searching step includes a hierarchical
2	search routine.
1	18. The method of claim 1, wherein the generating step comprises stenographically
2	transcribing the audio-based data to generate the textual representation.
1	19. Apparatus for processing audio-based data associated with a particular language, the apparatus comprising:
2	language, the apparatus comprising:
3	at least one processor operative to: (i)store the audio-based data; (ii) generate a
4	textual representation of the audio-based data, the textual representation being in the form
5	of one or more semantic units corresponding to the audio-based data; and (iii) index the
6	one or more semantic units and store the one or more indexed semantic units for use in
7	searching the stored audio-based data in response to a user query.
1	20. An audio-based data indexing and retrieval system for processing audio-based
2	data associated with a particular language, the system comprising:
3	memory for storing the audio-based data;
4	a semantic unit based speech recognition system for generating a textual
5	representation of the audio-based data, the textual representation being in the form of one
6	or more semantic units corresponding to the audio-based data;
7	an indexing and storage module, operatively coupled to the semantic unit based
8	speech recognition system and the memory, for indexing the one or more semantic units

19

YO999-426

and storing the one or more indexed semantic units; and

a search engine, operatively coupled to the indexing and storage module and the memory, for searching the one or more indexed semantic units for a match with one or more semantic units associated with a user query, and for retrieving the stored audio based data based on the one or more indexed semantic units.

10

15

METHODS AND APPARATUS FOR SEMANTIC UNIT BASED AUTOMATIC INDEXING AND SEARCHING IN DATA ARCHIVE SYSTEMS

Abstract of the Disclosure

An audio-based data indexing and retrieval system for processing audio-based data associated with a particular language, comprising: (i) memory for storing the audio-based data; (ii) a semantic unit based speech recognition system for generating a textual representation of the audio-based data, the textual representation being in the form of one or more semantic units corresponding to the audio-based data; (iii) an indexing and storage module, operatively coupled to the semantic unit based speech recognition system and the memory, for indexing the one or more semantic units and storing the one or more indexed semantic units; and (iv) a search engine, operatively coupled to the indexing and storage module and the memory, for searching the one or more indexed semantic units for a match with one or more semantic units associated with a user query, and for retrieving the stored audio based data based on the one or more indexed semantic units. The semantic unit may preferably be a syllable or morpheme. Further, the invention is particularly well suited for use with Asian and Slavic languages.

1500-66.APP




FIG. 2

3/5 10999-426






FIG. 3



G. 44

7(G. 4B





RYAN & MASON, L.L.P.

PAGE 82

Attorney Docket No. Y0999-426

DECLARATION

AS A BELOW NAMED INVENTOR, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe that I am the original, first and sole (if only one name is listed below), or an original, first and joint inventor (if plural names are listed below), of the subject matter which is claimed and for which a patent is sought on the invention entitled:

TITLE: METHODS AND APPARATUS FOR SEMANTIC UNIT BASED AUTOMATIC INDEXING AND SEARCHING IN DATA ARCHIVE SYSTEMS

		attorney docket no. <u>YO999-426</u> , or:and assigned Serial No	
and (if applicable) was amende	d on	-	
as amended by any amendment re- and to the examination of this app priority benefits under Title 35, U or §365(a) of any PCT internations	ferred to above. I acknow lication in accordance wi .S. Code §119(a)-(d) or al application which design on(s), listed below and ha	the contents of the above-identified specificative dge the dury to disclose information which is (th Title 37, Code of Federal Regulations §1.56(365(b) of any foreign application(s) for parent pasted at least one country other than the United twe also identified below any foreign application to on which priority is claimed:	niaterial to patentability. I hereby claim foreign or inventor's certificate, States, or \$119(e) of any
	-	• ,	Priority Claimed: Yes [] No[]
(Application Number)	(Country)	(Day/Month/Year filed)	
(Application Number)	(Country)	(Day/Month/Year filed)	Yes[] No[]
I hereby claim the benefit International application designar application is not disclosed in the paragraph of Title 35, U.S. Code	t under Title 35, U.S. Coing the United States, list e prior United States or 1112, I acknowledge the electrons which became available.	ode §120, of any United States application(s), ed below and, insofar as the subject matter of e PCT International applications(s) in the manufactury to disclose information material to patents (able between the filing date of the prior applic	each of the claims of this set provided by the first bility as defined in Title
(Application Serial Number)	(Filing Date)	(STATUS: patented, pending, abandone	<i>I</i>)
(Application Serial Number)	(Filing Date)	(STATUS: passned pending abundone	a)

I hereby appoint the following attorneys: MANNY W. SCHECTER, Reg No. 31,722; TERRY J. II.ARDI, Reg. No. 29/36; CHRISTOPHER A. HUGHES, Reg. No. 26,914; EDWARD A. PENNINGTON, Reg. No. 32,588; JOHN E. HOEL, Reg No. 26,279; JOSEPH C. REDMOND, Jr., Reg. No. 18,753, DOUGLAS W. CAMERON, Reg. No. 31,596; STEPHEN C. KAUFMAN, Reg No. 29,551; JAY F. SEROLLINI, Reg. No. 36,266; WAYNE L. ELLENBOGEN, Reg. No. 43,602; ROBERT M. TREFF, Reg. No. 25,933; LOUIS F. HERZBERG, Reg. No. 41,500; LOUIS J. PERCELLO, Reg. No. 33,206; PAUL J. OTTERSTEDT, Reg. No. 37,411; DANIEL F. MORRIS, Reg. No. 32,053; and DAVID M. SIROFI, Reg. No. 39,835; each of them of International Business MACHINES CORPORATION, Thomas J. Watson Research Center, F. O. Box 218, Yorksown Heights, New York 10598; to prosecute this application and to transact all business in the U.S. Patent and Trademark Office connected therewith and with any divisional, continuation, continuation-in-part, reissue or re-examination application, with full power of appointment and with full power to substitute an associate afformey or agent, and to receive all patents which may issue thereon, and request that all correspondence be addressed to:

William E. Lewis RYAN & MASON, L.L.P. 90 Forest Avenue Locust Valley, NY 11560 Tel.: (516) 759-2946

PAGE.003

Dect an

11/09/1999 14:58 5167599512

RYAN & MASON, L.L.P.

PAGE 03

Attorney Docket No. Y0999-426

I HEREBY DECLARE that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 U.S. Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

U.S.A FULL NAME OF FIRST OR SOLE INVENTOR: Chengiun Julian Chen Citizenship Inventor's signature: Date: Residence & Post Office address: 9 Hawthorne Street White Plains New York 10603 FULL NAME OF SECOND JOINT INVENTOR: Dimitri Kanevsky U.S.A. Citizenship 99 Inventor's signature: Date: Residence & Post Office address: 1358 Spring Valley Road Ossining, New York 10562

Page 2 of 2

Attorney Docket No. Y0999-426

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S):

Chengjun Julian Chen et al.

SERIAL NO.:

Unassigned

FILED:

Concurrently Herewith

FOR:

METHODS AND APPARATUS FOR SEMANTIC UNIT BASED

AUTOMATIC INDEXING AND SEARCHING IN DATA ARCHIVE

SYSTEMS

ASSOCIATE POWER OF ATTORNEY

Please recognize JOSEPH B. RYAN, Reg. No. 37,922; KEVIN M. MASUN, Reg. No. 36,597; and WILLIAM E. LEWIS, Reg. No. 39,274; each of them of RYAN & MASON, L.L.P., 90 Forest Avenue, Locust Valley, New York 11560 as associate attorneys in the abovementioned application, with full power to prosecute said application, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

Telephone calls should be made to William E. Lewis by dialing (516) 759-2946.

All written communications are to be sent to William E. Lewis, Esq., Ryan & Mason, L.L.P., 90 Forest Avenue, Locust Valley, New York 11560.

Dated: NOV. 10, 1999

Paul J. Offerstedt

Registration No. 37,411 Attorney for Applicant(s)

International Business Machines Corporation T.J. Watson Research Center Route 134 and Kitchawan Road Yorktown Heights, New York 10598

5167599512

** TOTAL PAGE. 02 **